

Material Safety Data Sheet

KINGS MOUNTAIN MICA

Page 1 of 9

Oglebay Norton Specialty Minerals

Issued: 07/31/2000

Replaces: 12/01/1999



1. PRODUCT IDENTIFICATION

Manufacturer:

Oglebay Norton Specialty Minerals
P.O. Box 729
Kings Mountain, NC 28086
704-739-3616
704-739-7888 fax

Emergency Phone:
Chemtrec
800-424-9300

Synonyms:

(Silicate, Mica), Muscovite Mica, Micro Mica, Dry Ground Mica,
Wet Ground Mica

Product Names:

Wet Ground Mica:

Dry Ground Mica:

Flake Mica:

Micro Mica:

H-360, HAR-160, HiMod-270, HiMod-360, S-360, WG-160, WG-325
1-K, 4-K, 4-KLE, 100-K, FS-255
20-K, -125, L-135, L-140, F-120, F-260
C-500, C-1000, C-3000, C-4000, HiMod-450

2. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Formula:

$KAl_2Si_3O_{10}(OH)_2 \cdot 5H_2O$

Chemical Family:

Silicate Minerals

C.A.S. No.:

12001-26-2 (Listed as Silicate, Mica)

Canadian Product ID No.:

None Listed

Product Use:

Industrial Manufacturing

3. HAZARD IDENTIFICATION

Labeled in accordance with OSHA'S Hazard Communication Rule and the HMIS Rating System developed by the National Paint and Coatings Association, 1500 Rhode Island Ave. N. W., Washington, D.C. 20005.

O.S.H.A./H.M.I.S. LABEL

HEALTH* = 0

FLAMMABILITY = 0

REACTIVITY = 0

PERSONAL PROTECTION EQUIPMENT= E*

No acute effects

Non-flammable

Non-reactive

Dust Mask

* See Material Safety Data Sheet. Prolonged breathing of excessive dust may adversely affect lung function. Use NIOSH approved dust mask for dusty conditions.

Oglebay Norton Specialty Minerals
P.O. BOX 729
KINGS MOUNTAIN, NC 28086

Material Safety Data Sheet

KINGS MOUNTAIN MICA

Page 2 of 9

Oglebay Norton Specialty Minerals

Issued: 07/31/2000

Replaces: 12/01/1999

4. FIRST AID MEASURES

Eyes:

Immediately flush the eyes with plenty of water for at least fifteen minutes. If irritation occurs or persists, obtain medical attention.

Inhalation:

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. If irritation occurs and persists, obtain medical attention.

5. FIRE FIGHTING MEASURES

National Fire Protection Code 704: Fire (Red) (0), Health (Blue) (0), Reactivity (yellow) (0)

Physical Hazard: Non-combustible

Flammability in Air: Not applicable

Flash Point: Not applicable

Autoignition Temperature: Not applicable

Extinguishing Media: Any suitable for fire in surrounding area

Special Fire Fighting Procedure: Not applicable

Explosion Data: Non-explosive

Unusual Fire & Explosion Hazard: None

Incompatibility: None

Hazardous Combustion Products: Not applicable

Sensitivity to Mechanical Shock: Not applicable

Sensitivity to Static Discharge: Not applicable

Conditions of Reactivity: None

Hazardous Decomposition Products: Not applicable

Conditions Contributing to Instability: None

Conditions Contributing to Hazardous Polymerization: Does not polymerize

6. ACCIDENTAL RELEASE MEASURES

None, A spill can be sprayed with water to suppress dust and then either washed away or shoveled into a suitable disposal container. (See 13. Disposal Consideration)

7. HANDLING AND STORAGE

Do not breathe dust and avoid getting in eyes.

Keep container closed.

Use with adequate ventilation.

Drying and/or grinding may increase dusting hazards

Control dust levels in the work place.

Material Safety Data Sheet

KINGS MOUNTAIN MICA

Page 3 of 9

Oglebay Norton Specialty Minerals

Issued: 07/31/2000

Replaces: 12/01/1999

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Personal Protection Equipment:

Respiratory: Wear a NIOSH/MSHA approved respirator when adequate ventilation is not available.

Eyes: Safety glasses or goggles

Gloves: None

Footwear: No special type indicated.

Clothing: No special type indicated.

Others: None.

Ventilation Requirements: Provide adequate ventilation to maintain below exposure limits (Section III) for quartz and mica.

Ingredient Exposure Limits:

Material	C.A.S. No.	Wt. %	TLV Data				
			PEL (OSHA)	TWA (ACGIH)	STEL (ACGIH)	Ceiling (OSHA)	IDLH (OSHA)
Mica	12001-26-2	95.0 to 99.9	20 mppcf	3 mg/M ³ (1)	No applicable information was found.		
Quartz	14808-60-7	0.1 to 5.0	10 mg/M ³ + (% SiO ₂ +2) Ref. (2)	0.1 mg/M ³ (1)	No applicable information was found		50 µg/M ³ (3) 10 hr TWA

- (1) Respirable Dust--See Threshold Limit Value and Biological Exposure Indices for 1991-1992, ACGIH
- (2) Respirable Quartz--See 29 CFR § 1910.1000 Table Z-1-A, Air Contaminants.
- (3) Respirable Free Silica

Ingredient Animal Test Data

Material	Canadian PIN	LD50	LC50
		Species and Route	Species and Route
Mica	None listed	No applicable information was found	
Quartz	None listed	No applicable information was found	

Material Safety Data Sheet

KINGS MOUNTAIN MICA

Page 4 of 9

Oglebay Norton Specialty Minerals

Issued: 07/31/2000

Replaces: 12/01/1999

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Solid
Vapor Density:	Not applicable (Air = 1)
Appearance and Odor:	Odorless white powder
Vapor Pressure:	Not applicable
Odor Threshold:	Not applicable
Boiling Point:	Not applicable
Melting Point:	Decomposes without melting near 1000°C (1832 °F)
Density/Specific Gravity	2.8 g/cc
pH (as is) @ 25°C:	Not applicable
pH (1% Slurry) @ 25 °C:	Not applicable
Coefficient of Water/Oil Distribution:	Not applicable

10. STABILITY AND REACTIVITY

Stability:	Stable
Solubility in Water:	Insoluble (% by wt. @ 25 °C (77°F))
Volatiles:	Not applicable
Evaporation Rate:	Not applicable (Butyl Acetate = 1)

11. TOXICOLOGICAL INFORMATION

Product Health Hazard: OSHA/ARC STATEMENT
This material contains crystalline silica. Some researchers have reported evidence that it is carcinogenic in humans following prolonged and repeated inhalation. Prolonged and repeated breathing of dust can cause silicosis.

Route (s) of Exposure:	Hazard	Product Tox Data and Reference
Eye Contact:	This substance may irritate the eyes.	No animal toxicology data available
Inhalation:	Respirable particles of quartz are hazardous to inhale.	No animal LC50 toxicology data is available
Effects of Overexposure:		
Acute Effects:	Possible irritation to the eyes.	
Chronic Effects:	Respiratory irritant. Chronic lung damage, scar tissue development in lungs can occur if inhaled over an extended period of time. Follow TLV	exposure limits, Section III.

Material Safety Data Sheet

KINGS MOUNTAIN MICA

Page 5 of 9

Oglebay Norton Specialty Minerals

Issued: 07/31/2000

Replaces: 12/01/1999

11. TOXICOLOGICAL INFORMATION (continued)

Product Health Hazard:

Carcinogenicity:

OSHA/IARC STATEMENT

This material contains crystalline silica. Some researchers have reported evidence that it is carcinogenic in humans following prolonged and repeated inhalation. Prolonged and repeated breathing of dust can cause silicosis.

NTP Annual: Not listed.

IARC Monograph:

Crystalline silica is listed as a carcinogen to animals and there is limited evidence for the carcinogenicity to humans, Group 1

OSHA 29 CFR Part 1910 Subpart Z: Not listed

ACGIH (Appendix A): Not listed

Irritancy:

Respiratory irritant per OSHA, ACGIH and NIOSH and Canadian WHMIS

Sensitization: No information available

Teratogenicity: No information available

Mutagenicity: No information available

Toxicologically Synergistic Products: No information available

Any Medical Conditions Generally Recognized as Being Aggravated by Exposure:

Prior existing lung or respiratory illness

12. ECOLOGICAL INFORMATION

Ecotoxicity Not know to have negative effects on the environment.

13. DISPOSAL CONSIDERATION

Procedure for Release or Spill:
container.

Wet with water to reduce dusting and collect in a suitable

Waste Disposal Method:
regulations.

Dispose of waste according to federal EPA state and local

Material Safety Data Sheet

KINGS MOUNTAIN MICA

Page 6 of 9

Oglebay Norton Specialty Minerals

Issued: 07/31/2000

Replaces: 12/01/1999

14. TRANSPORTATION INFORMATION

Domestic:

DOT Proper Shipping Name: Mica
DOT Classification: None
DOT Labels: Mica
DOT Marking: None
DOT Placard: None
UN Number: None

Foreign:

IMCO Proper Shipping Name: Mica
IMCO Hazard Classification: None
IMCO Labels: Mica
IMCO Marking: None

49 STCC Number: None

Emergency Accident:

Precautions and Procedures: None

Precautions to be taken in Transportation: No special precautions

15. REGULARITY INFORMATION

USA:

TSCA:

As a naturally occurring substance, mica is automatically included in the inventory under regulation 40 CFR 710.4, chapter 1, subsection b (7/1/86). See EPA TSCA section 8 (e) Status Report 8EHQ-0986-0632. Also, see EPA TSCA test submission (TSCATS) data base, September, 1993.

OSHA:

PEL 8H TWA 20 mppcf, respirable dust. FEREAC 54, 2923, 89
PEL Final 8H TWA 3 mg/m³ respirable dust. FEREAC 54, 2923, 89

NIOSH Criteria Documents:

Relative to silicates. (< 1% Crystalline Silica): Mica in air: 10H TWA 3 mg/m³
NIOSH DHHS #92-100, 92
NOHS 1974: Hazard 48535; NIS 135; TNF 12333; NOS 98; TNE 169296
NOHS 1983: Hazard X1564; NIS 2; TNF 9; NOS 3; TNE 296

ACGIH:

TLV-TWA 3 mg/m³, respirable dust. 85INA8 5, 413, 86

MSHA:

Air TWA 20 mppcf. DTLWS 3, 33, 73

Material Safety Data Sheet

KINGS MOUNTAIN MICA

Page 8 of 9

Oglebay Norton Specialty Minerals

Issued: 07/31/2000

Replaces: 12/01/1999

15. REGULARITY INFORMATION (Continued)

FDA Regulations: Mica is permitted in the following applications:

Food additives by direct listing	\$182.99 (now EPA 40 CFR 180.1001)
Adhesives	\$175.105.5
Resinous and Polymeric Coatings	\$175.300.3
Rubber articles intended for repeated use.	\$177.2600
Components of paper and paperboard in contact with aqueous and fatty food	\$176.170
Closures with sealing gaskets for food containers	\$177.1210
Ethylene-vinyl acetate copolymers	\$177.1350
Melamine-formaldehyde resins in molded articles by cross reference to #175.300.....	\$177.1460
Components of paper and paperboard in contact with dry food by cross reference to #176.170	\$176.180
Color additive in cosmetics	\$73.1496 and #73.2496
Olefin polymers in contact with food	\$177.1520

This regulation states that food contact articles may include substances that meet FDA prior approval.

CANADA:

Ontario 309 & Quebec--Class 1 Annexe III: Mica complies with the regulations. Mica is an inert product. No hazardous compound or ions leach from mica during normal processing.

WHMIS:

Hazard Classification

Class D, Division 2, Subdivision A

Disclosure List:

Mica and silica are both listed (1% each)

Domestic Substances List (DSL):

Mica is on this list

JAPAN:

Mica is not listed in the MITI index. Substances controlled by this law are substances obtained by the chemical reactions of an element or a chemical compound. Mica is therefore exempted from regulation by this law.

AUSTRALIA:

Mica is listed in the ACOIN C.A.S. Registry number section as mica group minerals, 12001-26-2. TWA 2.5 mg/m³

BELGIUM:

Mica TWA 3 mg/m³

THE NETHERLANDS:

Mica TWA 5 mg/m³

SWITZERLAND:

Mica TWA 3 mg/m³

UNITED KINGDOM:

Mica TWA 1 mg/m³ respirable dust; 10 mg/m³ total dust

BULGARIA, COLOMBIA, JORDAN, KOREA, NEW ZEALAND, SINGAPORE, VIET NAM:

TLV-TWA 3 mg/m³, respirable dust

Material Safety Data Sheet

KINGS MOUNTAIN MICA

Page 9 of 9

Oglebay Norton Specialty Minerals

Issued: 07/31/2000

Replaces: 12/01/1999

16. OTHER INFORMATION

none

The information contained in this Material Safety Data Sheet is believed to be reliable. No guarantee is implied or expressed regarding the accuracy of this information or the use of these mica products since the conditions for use are beyond our control. Nothing contained herein should be construed as a recommendation to use this product in conflict with existing patents covering any material or its use.

---End of MSDS---